

Generalized Phrase Structure Grammar

Petr Horáček, Eva Zámečnicková and Ivana Burgetová

Department of Information Systems
Faculty of Information Technology
Brno University of Technology
Božetěchova 2, 612 00 Brno, CZ



- **Introduction**



- **Introduction**
- **Theory of Features**



- **Introduction**
- **Theory of Features**
- **Metarules**



- **Introduction**
- **Theory of Features**
- **Metarules**
- **Theory of Feature Instantiation Principles**



- **Introduction**
- **Theory of Features**
- **Metarules**
- **Theory of Feature Instantiation Principles**
- **Examples**

- **Introduction**
- Theory of Features
- Metarules
- Theory of Feature Instantiation Principles
- Examples



Motivation

Attempt to capture the generalizations made by transformations (in transformational grammar) within context-free grammar.

- We could avoid overgeneration resulting from unrestricted transformations.
- We could use parsing algorithms for CFG.
- (Gazdar et al., 1985)



Motivation

Attempt to capture the generalizations made by transformations (in transformational grammar) within context-free grammar.

- We could avoid overgeneration resulting from unrestricted transformations.
- We could use parsing algorithms for CFG.
- (Gazdar et al., 1985)

Means

Mechanisms to recreate the effects of transformations within context-free formalism.

- Complex features
 - Capture long-distance dependencies without using movement rules.
- Metarules
 - Allow generalizations.

Definition

A **phrase structure grammar** (PSG) G is a quadruple $G = (N, T, P, S)$, where

- N is a finite set of *nonterminals*,
- T is a finite set of *terminals*, $N \cap T = \emptyset$
- $P \subseteq (N \cup T)^* N (N \cup T)^* \times (N \cup T)^*$ is a finite relation – we call each $(x, y) \in P$ a *rule* (or *production*) and usually write it as

$$x \rightarrow y,$$

- $S \in N$ is the *start symbol*.



Derivation in PSG

Let G be a PSG. Let $u, v \in (N \cup T)^*$ and $p = x \rightarrow y \in P$. Then, we say that uxv **directly derives** uyv according to p in G , written as $uxv \Rightarrow_G uyv [p]$ or simply

$$uxv \Rightarrow uyv$$

We further define \Rightarrow^+ as the transitive closure of \Rightarrow and \Rightarrow^* as the transitive and reflexive closure of \Rightarrow .

Generated Language

Let G be a PSG. The **language generated by G** is defined as

$$L(G) = \{w : w \in T^*, S \Rightarrow^* w\}$$

Definition

A **context-free grammar** is a PSG $G = (N, T, P, S)$ such that every rule in P is of the form:

$$A \rightarrow x$$

where $A \in N$ and $x \in (N \cup T)^*$.



Components of GPSG

- 1 Grammatical rule format
- 2 Theory of features
- 3 Properties of metarules
- 4 Theory of feature instantiation principles



Components of GPSG

- 1 Grammatical rule format
- 2 Theory of features
- 3 Properties of metarules
- 4 Theory of feature instantiation principles

Grammatical rule format

- We assume the standard interpretation of **context-free phrase structure rules**

$$A \rightarrow BC$$

(Chomsky normal form)

- Introduction
- **Theory of Features**
- Metarules
- Theory of Feature Instantiation Principles
- Examples

Components of GPSG

- 1 Grammatical rule format
- 2 **Theory of features**
- 3 Properties of metarules
- 4 Theory of feature instantiation principles

Features

- Two types of features:
 - 1 Atom-valued
 - 2 Category-valued

Types of Features

- 1 Atom-valued
- 2 Category-valued

Atom-valued Features

- Boolean values
- Symbols such as:

[−*INF*] finite, an inflected verb *eats*

[−*INV*] inverted subject-auxiliary inversion,
as in *Is John sick?*

[+*INF*] infinitival *to eat*

Types of Features

- 1 Atom-valued
- 2 **Category-valued**

Category-valued Features

- The value is something like a nonterminal symbol (which is itself a feature specification).
- *SUBCAT* – feature that identifies the complement of the verb
- *SLASH*



- Represents **missing constituent**.
- Consider a normal transitive verb phrase VP.
- Then, VP[*SLASH* = NP], or **VP/NP** for short, represents this VP when it has an **NP missing**.
 - “VP with an NP gap”
- S/NP – sentence with a missing NP, etc.

- Represents **missing constituent**.
- Consider a normal transitive verb phrase VP.
- Then, VP[*SLASH* = NP], or **VP/NP** for short, represents this VP when it has an **NP missing**.
 - “VP with an NP gap”
- S/NP – sentence with a missing NP, etc.

Example

VP

hit the floor

VP/NP

hit [e]

(as in *Who did John hit?*)



- To handle *wh-questions* (*Who did John hit?*), we need another feature besides *SLASH*.
 - Encode the “questionlike” nature of these sentences.
- +*WH*

- To handle *wh-questions* (*Who did John hit?*), we need another feature besides *SLASH*.
 - Encode the “questionlike” nature of these sentences.
- +*WH*

Example

Now we can differentiate the following NPs:

- 1 – *WH*[*the man*]
- 2 + *WH*[*which man*]
- 3 – *WH*[*John*]
- 4 + *WH*[*who*]

- **Extension** of feature specification = larger feature specification containing it

- **Extension** of feature specification = larger feature specification containing it

Example

- Feature specification:
{[+M], [+V]}
- The category A - adjective

- **Extension** of feature specification = larger feature specification containing it

Example

- Feature specification:
 $\{[+M], [+V]\}$
 - The category *A* - adjective
- Possible extension:

- **Extension** of feature specification = larger feature specification containing it

Example

- Feature specification:
 $\{[+M], [+V]\}$
 - The category A - adjective
- Possible extension:
 $\{[+M], [+V],$

- **Extension** of feature specification = larger feature specification containing it

Example

- Feature specification:
{[+M], [+V]}
 - The category A - adjective
- Possible extension:
{[+M], [+V], [+PRED]}

- **Extension** of feature specification = larger feature specification containing it

Example

- Feature specification:
 $\{[+N], [+V]\}$
 - The category *A* - adjective
- Possible extension:
 $\{[+N], [+V], [+PRED]\}$
 - Adjective in a predicative position

Mary is $\{[+N], [+V], [+PRED]\}$ *intelligent*

- Similar to the **set union** operation.

- Similar to the **set union** operation.

Example

- Feature specifications:
 $\{ [+V], [+PRED] \}$
 $\{ [-N], [+V] \}$

- Similar to the **set union** operation.

Example

- Feature specifications:
 $\{ [+V], [+PRED] \}$
 $\{ [-N], [+V] \}$
- Unification:

- Similar to the **set union** operation.

Example

- Feature specifications:
 $\{ [+V], [+PRED] \}$
 $\{ [-N], [+V] \}$
- Unification:
 $\{ [+V],$

- Similar to the **set union** operation.

Example

- Feature specifications:
 $\{ [+V], [+PRED] \}$
 $\{ [-N], [+V] \}$
- Unification:
 $\{ [+V], [+PRED],$

- Similar to the **set union** operation.

Example

- Feature specifications:
 $\{ [+V], [+PRED] \}$
 $\{ [-M], [+V] \}$
- Unification:
 $\{ [+V], [+PRED], [-M] \}$

- Similar to the **set union** operation.

Example

- Feature specifications:
 $\{ [+V], [+PRED] \}$
 $\{ [-N], [+V] \}$
- Unification:
 $\{ [+V], [+PRED], [-N] \}$

- Similar to the **set union** operation.

Example

- Feature specifications:

$\{ [+V], [+PRED] \}$

$\{ [-N], [+V] \}$

- Unification:

$\{ [+V], [+PRED], [-N] \}$

- Note: If features contradict each other, unification is undefined.

- Introduction
- Theory of Features
- **Metarules**
- Theory of Feature Instantiation Principles
- Examples

Components of GPSG

- 1 Grammatical rule format
- 2 Theory of features
- 3 **Properties of metarules**
- 4 Theory of feature instantiation principles

Metarules

- **Metarule** – **function** from lexical rules to lexical rules.
- Metarules generate related phrase structure rules.
- Similar function to transformations in transformational grammar.



Example

John washes the car.
⇒ *The car is washed by John.*

- We could write rules to generate the second sentence directly.
- Problem with such approach: **no generalization**

Example

John washes the car.
⇒ *The car is washed by John.*

- We could write rules to generate the second sentence directly.
- Problem with such approach: **no generalization**

Passive Metarule

$VP \rightarrow W NP \Rightarrow VP[*PASSIVE*] \rightarrow W(PP[+*by*])$


- For every context-free rule introducing VP as an NP and some variable number of constituents (including the verb) indicated by W, **another context-free rule is introduced**, such that:
 - ① VP is marked with [*+PASSIVE*] feature (atom-valued)
 - ② NP present in the active form is missing
 - ③ optimal PP is introduced, marked with [*by*] feature (atom-valued)
 - “selects preposition *by*”
- W – varying parameter – standard rewrite rules produced when W is **instantiated**

Passive Metarule


$$VP \rightarrow W NP \Rightarrow VP[PASSIVE] \rightarrow W(PP[+by])$$

Example

[_{VP} *washes the car*]



[_{VP} *washed (by NP)*]



- Notice that the passive metarule makes no reference to the subject of the sentence – this is because the semantics for the verb will be different for different instantiations.

- Introduction
- Theory of Features
- Metarules
- **Theory of Feature Instantiation Principles**
- Examples



Components of GPSG

- 1 Grammatical rule format
- 2 Theory of features
- 3 Properties of metarules
- 4 Theory of feature instantiation principles

Theory of Feature Instantiation Principles

- Metarules capture generalizations made by **local** transformations in a transformational grammar.
- This will allow us to handle **long-distance dependencies**.



- Phrase structure rules specify that **one category** is the **head** of the phrase.
- **Head** – the **category-defining element** of the phrase
- **Foot** – the **complement** of the phrase

Example

NP \rightarrow N Comp

- Head: N
- Foot: Comp



- Phrase structure rules specify that **one category** is the **head** of the phrase.
- **Head** – the **category-defining element** of the phrase
- **Foot** – the **complement** of the phrase

Example

NP \rightarrow N Comp

- Head: N
- Foot: Comp

Sets of Features

- 1 *HEAD* features = $\{N, V, PLURAL, PERSON, PAST, BAR, \dots\}$
- 2 *FOOT* features = $\{SLASH, WH\}$

- Properties of the **head elements** of rules
- Values: + or –

HEAD Feature Principle

The *HEAD* features of a child node must be identical to the *HEAD* features of the parent.

- Encode more complex information about the **movement** of *wh*-phrases and NPs
- Values: categories

FOOT Feature Principle

The *FOOT* features instantiated on a parent category in a tree must be identical to the unification of the instantiated *FOOT* feature specifications in all its children.

- Introduction
- Theory of Features
- Metarules
- Theory of Feature Instantiation Principles
- **Examples**

Example

Who drives a Honda?
What does John drive *e*?

- In transformational grammar, we introduce a transformational rule to move the *wh*-phrase *who* or *what* from the deep structure position (marked with a “trace” *e*) to the front of the sentence.
- In GPSG, we can generate the sentence **without using transformations**.

Example

Who drives a Honda?
What does John drive *e*?

- In transformational grammar, we introduce a transformational rule to move the *wh*-phrase *who* or *what* from the deep structure position (marked with a “trace” *e*) to the front of the sentence.
- In GPSG, we can generate the sentence **without using transformations**.

Idea

- Encode the “movement” information on the node of the tree directly.
- Pass this information up and down the tree using **features**.

- First, consider a simple sentence such as the following

Example

John drives a Honda.

- First, consider a simple sentence such as the following

Example

John drives a Honda.

- The rules necessary to build such sentence are:

$$\begin{array}{l} S \rightarrow NP VP \\ VP \rightarrow TV NP \end{array}$$

- TV – transitive verb, which takes NP as its subject

$$TV = \{ [+V], [-N], [SUBCAT = NP] \}$$

- First, consider a simple sentence such as the following

Example

John drives a Honda.

- The rules necessary to build such sentence are:

$$\begin{array}{l} S \rightarrow NP VP \\ VP \rightarrow TV NP \end{array}$$

- TV – transitive verb, which takes NP as its subject

$$TV = \{ [+V], [-N], [SUBCAT = NP] \}$$

- In order to generate *wh*-movement sentence, we assign the value *NP* to the feature *SLASH* on the VP node.
 - This indicates that there is a constituent missing.



- In GPSG, according to the *FOOT* feature principle, rule of the form $VP \rightarrow NP SP$ implies rule of the form

$VP/NP \rightarrow NP/NP$

- Similarly, the rule $S \rightarrow NP VP$ allows two other rules:

$S/NP \rightarrow NP VP/NP$
 $S/NP \rightarrow NP/NP VP$

- In GPSG, according to the *FOOT* feature principle, rule of the form $VP \rightarrow NP SP$ implies rule of the form

$$VP/NP \rightarrow NP/NP$$

- Similarly, the rule $S \rightarrow NP VP$ allows two other rules:

$$\begin{array}{l} S/NP \rightarrow NP VP/NP \\ S/NP \rightarrow NP/NP VP \end{array}$$

- Using the two features *WH* and *SLASH*, we can account for the *wh*-questions.
- Assume that the rules for expanding the sentence are given as follows

$$\begin{array}{l} S \rightarrow NP VP \\ S \rightarrow NP S/NP \end{array}$$

- We can add the $[+WH]$ feature to *S* – applying the *FOOT* feature principle, the information will be transmitted down the tree.
- Note: *WH* cannot cooccur with *SLASH*



Example

Who drives a Honda?
What does John drive?




$S \rightarrow NP VP$

$S \rightarrow NP S/NP$

Example





-  James Allen:
Natural Language Understanding,
The Benjamin/Cummings Publishing Company. Inc., 2005
-  Gerald Gazdar, Ewan H. Klein, Geoffery K. Pullum, Ivan A. Sag:
Generalized Phrase Structure Grammar,
Harvard University Press, 1985
-  Robert N. Moll, Michael A. Arbib, A. J. Kfoury:
An Introduction to Formal Language Theory,
Springer-Verlag, 1988

Thank you for your attention!

End